

Specifications



Eaton E90H-W

Eaton Wheelock E70/E90 speaker, high fidelity, ceiling, white, no lettering, 25/70V, indoor

General specifications

PRODUCT NAME	Eaton Wheelock E70/E90 speaker
CATALOG NUMBER	E90H-W
UPC	786697198762
PRODUCT LENGTH/DEPTH	0.455 in
PRODUCT HEIGHT	7.26 in
PRODUCT WIDTH	7.26 in
PRODUCT WEIGHT	1.586 lb
COMPLIANCES	Not Applicable

Product specifications

MOUNTING METHOD Ceiling

HOUSING COLOR White

INDOOR/OUTDOOR Indoor

HOUSING MATERIAL UV stabilized plastic

LETTERING No lettering

VOLTAGE 25 V
70 V

OPERATING TEMPERATURE 33.8°F to 120.2°F (0°C to 49°C) & maximum humidity of 93%

COMPLIANCE AND STANDARDS FCC
ULC
UL
CSFM

Speaker specifications

FREQUENCY RANGE - MIN 300 Hz

FREQUENCY RANGE - MAX 8000 Hz

SOUND LEVEL (DBA) Up to 87 dB at 10 ft:
72,75,78,81,82

TAPS (SELECTABLE) 1/8 watt -2 watts: 1/8, 1/4 ,
1/2 , 1 , 2

Resources

BROCHURES

[Wheelock EH high fidelity speaker brochure](#)

CATALOGS

[Wheelock life safety notification appliances catalog CA450003FR, French Canadian](#)

[Wheelock life safety notification appliances catalog CA450002EN, Canada](#)

DRAWINGS

[wheelock-e90-ceiling-speaker-drawing](#)

[wheelock-e70-wall-speaker-drawing](#)

INSTALLATION INSTRUCTIONS

[wheelock-et90-et70-speaker-install-sheet-P83567](#)

[wheelock-e90-e70-speaker-install-sheet-P83566](#)

SELLING POLICY AND T&CS

[Wheelock E speakers CSFM listing](#)

[Wheelock E50, E60, E70, E90 UL Listings](#)

[Wheelock E60H, E70H, E90H speaker CSFM listing](#)

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet - E90H-W](#)

TECHNICAL DATA SHEETS

[wheelock-mounting-accessories-data-sheet](#)

[wheelock-e70e90-speakers-strobes-data-sheet-TD450024EN](#)

[wheelock-et70-et90-speakers-strobes-data-sheet-TD450031EN](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

