

# Eaton ELFHNWC

Catalog Number: ELFHNWC

Eaton Eluxa low frequency sounder, ceiling, white, FIRE, 24V indoor



General specifications

Product Name	Catalog Number
Eaton Eluxa low frequency sounder and sounder strobe	ELFHNWC
	UPC
	786697009778
Product Height	Product Diameter
3.52 in	6.3 in
Product Weight	Compliances
1.2 lb	Not Applicable

## Product specifications

### Type

Sounder

### Compliance and standards

UL

ULC

FCC

RoHS

### Mounting Method

Ceiling

### Housing color

White

### Voltage

24 V

### Audible current

0.098 mA

### Lettering

FIRE

### Operating Temperature

32°F to 122°F (0°C to 50°C)

### Indoor/outdoor

Indoor

### 520 Hz modes of operation

Continuous

T3 (fire)

T3/T4 Sync Control

### Application

Sleeping areas

## Resources

### Brochures

[Eluxa family brochure](#)

### Brochures

[Eluxa product cross reference](#)

### Catalogs

[Wheelock life safety notification appliances catalog CA450001EN](#)

### Drawings

[Eluxa low frequency sounder wall drawing](#)

[Eluxa low frequency sounder strobe wall drawing](#)

### Installation instructions

[Eluxa low frequency sounder wall install sheet P85753](#)

[Eluxa low frequency sounder ceiling install sheet P85759](#)

### Selling policy and T&Cs

[Eluxa UL listing](#)

### Specifications and datasheets

[Eaton Specification Sheet - ELFHNWC](#)

### Technical data sheets

[wheelock-mounting-accessories-data-sheet](#)

[Eluxa low frequency sounders data sheet](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)