

Specifications



Eaton LSPKWC-N

Eaton Exceder LED3 high fidelity speaker, ceiling, white, no lettering, 25/70V, indoor

General specifications

PRODUCT NAME	Eaton Exceder LED3 high fidelity speaker
CATALOG NUMBER	LSPKWC-N
UPC	786697110108
PRODUCT LENGTH/DEPTH	1.5 in
PRODUCT HEIGHT	6.25 in
PRODUCT WIDTH	6.25 in
PRODUCT WEIGHT	1.484 lb
COMPLIANCES	Not Applicable
GLOBAL CATALOG	LSPKWC-N

Product specifications

COMPLIANCE AND STANDARDS	CSFM
	ULC
	UL
	FM
MOUNTING METHOD	Ceiling
HOUSING COLOR	White
HOUSING MATERIAL	UV stabilized plastic
FREQUENCY RANGE - MAX	8000 Hz
FREQUENCY RANGE - MIN	300 Hz
TAPS (SELECTABLE)	1/8, 1/4, 1/2, 1, 2
LETTERING	No lettering
OPERATING TEMPERATURE	32°F to 122°F (0°C to 50°C)
INDOOR/OUTDOOR	Indoor
TYPE OF SPEAKER	High fidelity
VOLTAGE	25 V 70 V
APPLICATION	Sleeping areas
SOUND LEVEL (DBA)	75/79/82/85/87

Resources

BROCHURES

[Wheelock Exceder LED3 family brochure](#)

[Wheelock high candela xenon cross reference for Exceder LED3](#)

[Exceder LED3 product cross reference](#)

CATALOGS

[Wheelock life safety notification appliances catalog CA450002EN, Canada](#)

[Wheelock life safety notification appliances catalog CA450003FR, French Canadian](#)

DRAWINGS

[Exceder LED3 speaker wall drawing](#)

INSTALLATION INSTRUCTIONS

[Exceder LED3 speaker wall install sheet P85350-002](#)

[Exceder LED3 speaker ceiling install sheet P85445](#)

SELLING POLICY AND T&CS

[Exceder LED3 speaker UL listing](#)

[Exceder LED3 speaker CSFM listing 0785-0179](#)

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet - LSPKWC-N](#)

[wheelock-mounting-accessories-data-sheet](#)

TECHNICAL DATA SHEETS

[Exceder LED3 high fidelity speakers ceiling data sheet](#)

[Exceder LED3 high fidelity speakers wall data sheet](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

