## Specifications

## Eaton RSSWP-2475W-AR

Eaton Wheelock RSS strobe, xenon, wall, red, AGENT, clear lens, 30 cd indoor, 115/180 cd outdoor, 24V

General specifications	
PRODUCT NAME	Eaton Wheelock RSS strobe
CATALOG NUMBER	RSSWP-2475W-AR
UPC	786697290176
PRODUCT LENGTH/DEPTH	3 in
PRODUCT HEIGHT	4.8 in
PRODUCT WIDTH	4.8 in
PRODUCT WEIGHT	0.394 lb
COMPLIANCES	Not Applicable
GLOBAL CATALOG	RSSWP-2475W-AR



Product specifications	
COMPLIANCE AND STANDARDS	FM UL MEA CSFM ULC
MOUNTING METHOD	Wall
HOUSING COLOR	Red
HOUSING MATERIAL	UV Stabilized Plastic
LENS COLOR	Clear
LENS MATERIAL	Lexan
LAMP TYPE	Xenon
CURRENT DRAW (DC)	0.138
LETTERING	AGENT
OPERATING TEMPERATURE	-40°F to 150°F (-40°C to 66°C) and maximum humidity of 95%
INDOOR/OUTDOOR	Outdoor
CANDELA SETTINGS	115 cd 180 cd
VOLTAGE	24 V
APPLICATION	Weatherproof

Resources	
CATALOGS	Wheelock life safety notification appliances catalog CA450001EN
DRAWINGS	Wheelock EMNA dual strobe drawing Wheelock RSS strobe
	drawing
INSTALLATION INSTRUCTIONS	wheelock-rss-strobe- colored-lens-install-sheet- P84517
	wheelock-rss-strobe-red- lens-install-sheet-P83884
	wheelock-rss-strobe-wall-install-sheets-P83911
	wheelock-rss-mcwh- strobe-wall-install-sheet- P84450
	wheelock-rss-strobe- ceiling-install-sheets- P84394
	wheelock-rss-1575-strobe- install-sheet-P84233
	wheelock-rss-mcch-strobe- ceiling-install-sheet- P84442
SELLING POLICY AND T&CS	Wheelock RSS CSFM listing 0785-0141
	Wheelock audible visual appliances UL listing
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - RSSWP-2475W-AR
TECHNICAL DATA SHEETS	wheelock-weatherproof- appliances-data-sheet- TD450112EN
	Wheelock Emergency Mass Notification data sheet
	wheelock-rss-strobes- data-sheet-TD450040EN
	wheelock-mounting- accessories-data-sheet
	wheelock-colored-lens- data-sheet-TD450087EN

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



## **Eaton Corporation plc**

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.









