


Specifications



Eaton SP40S

Eaton SAFEPATH in-building mass notification system, red, 120 V, 25/70/100V, UL 864/1711

General specifications

PRODUCT NAME	Eaton SAFEPATH in-building mass notification system
CATALOG NUMBER	SP40S
UPC	786697099298
PRODUCT LENGTH/DEPTH	6 in
PRODUCT HEIGHT	21 in
PRODUCT WIDTH	16 in
PRODUCT WEIGHT	36 lb
COMPLIANCES	Not Applicable
PRODUCT TYPE	In-building mass notification system



Powering Business Worldwide

Product specifications

HOUSING COLOR	Red
VOLTAGE	120 V
HOUSING MATERIAL	Steel enclosure
INTEGRATION WITH THE FOLLOWING	Background music systems Paging/telephone systems
COMPLIANCE AND STANDARDS	MEA UL 1711 CSFM FCC UL 864

Power

AUDIO POWER	Expandable to 5280 W 40 W
AUDIO OUTPUT	70 V 100 V 25 V
SUPERVISED AUDIO POWER	40 W
STANDBY CURRENT DRAW	140 mA
ALARM CURRENT DRAW	4.7 A
SUPERVISED 24 VDC SYNCHRONIZED STROBE POWER	2 A

Audio specifications

DIGITAL VOICE MESSAGES	8
FREQUENCY RESPONSE - VOICE - MIN	275 Hz
FREQUENCY RESPONSE - VOICE - MAX	6.5 Kilo Hertz
FREQUENCY RESPONSE - BACKGROUND MUSIC - MIN	100 Hz
FREQUENCY RESPONSE - BACKGROUND MUSIC - MAX	15 Kilo Hertz

Resources

	SAFEPath brochure
	SAFEPath facility communications system for security professionals
BROCHURES	Getting emergency messages heard white paper by Eaton Designing for Intelligibility white paper by Eaton
DRAWINGS	wheelock-sp40s-safepath-drawing SAFEPath SP40S-D drawing
INSTALLATION INSTRUCTIONS	SAFEPath SP40S in-building communications system install sheet P84714 safepath-sp40-set-up-guide
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - SP40S
TECHNICAL DATA SHEETS	SAFEPath SP40S-D communications system data sheet SAFEPath SP4S data sheet

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

